

Cod. 311302

Smart bench VIVA SIGNAGE with Solar Energy Intelligent recharge IOT ready, seat and backrest in recycled plastic 2.1 mt, WIRELESS recharge devices, USB, LED lighting, INTERNET HOTSPOT AND TOTEM SIGNAGE



VIVA
Smart Bench

VIVA™ Smart HYBRID+ urban street bench with PORTAL VIS Full version , built as follows:

General technical features:

- N° 2 30/10 thick, trapezoidal printed metal side supports;
- The seat and the back rest are made from 120 x 40 mm, milled STRONGPLAST (recycled plastic) boards, internally reinforced with 15 x 15 mm steel bars. The boards are bolted to the seat and back rest supports;
- SMART charging module equipped with MPPT technology with photovoltaic panel and batteries embedded in the bench structure

Version features:

- Equipped with 4 USB sockets for charging devices up to 2A and 3 wireless charger built into the structure;
- Neutral white LED backlight system;
- Local management and control system via WIFI connection or by dedicated CLOUD software with 12 month assistance (see assistance characteristics);
- Standard sensors for temperature, humidity, charging, discharging devices, weather sensing system with automatic stand-by;
- Self-management and consumption control system with error prediction and reports;
- 4G LTE Internet connection.
- Custom access point , WIFI integration wit PORTAL custom USER and PAGE
- Digital signage TOTEM with VIS SYSTEM
- Sensor (see carateristics)

Installation and maintenance:

The trapezoidal legs of the bench are prepared for M10 steel bolt anchoring.

The removable smart module can be sent for maintenance without having to relocate the entire bench.

The surfaces are protected by a 5P cycle and powder coated. See specifications on the protection of materials.

Registered design, registered smart technology.

ZERO WIRE SYSTEM , the smart bench positioned in into sunny place provide all service without need wiring.

The new VIVA™ bench was created to modernize today's cities with innovative technologies in the context of control and use of specific functionalities aimed at satisfying the modern needs of citizens.

Thanks to its innumerous technological functions, these new benches become not only a resting place but also a meeting point, where it is possible to conceive a new way of living th

city.

We can recharge our smart devices thanks to the side USB sockets, connect to wifi, get real-time information on traffic, smog, weather conditions, etc... communicating has never been so easy !

Ample space for customization.

The transversal skills of our team, the knowledge of materials and processing technologies allow us to tackle any custom project.

Through the cloud connection, the VIVA software manages the network of stations remotely on any device at any time.

Control and verification of the system from a single location.

Easily and efficiently manage all your smart workstations in real time, even in multi-user mode.

Check your workstations network and verify monitoring information sent.

Battery charger monitoring, weather info, environmental info, device charge and discharge, prediction and error report.

The characteristics of the modules:

The magic happens thanks to the modules, the heart of the VIVA system ; they allow you to customize the product according to your needs.

UNIQUE TECHNICAL FEATURES OF THE VERSION:

Total Control: Access via WIFI interface for displaying real time NBSP data and control.

InfoSensor: Environmental information from sensors such as temperature and humidity, charge and discharge devices, energy production, instantaneous and time-consuming consumption, autocheck with error prediction and reports.

VivaDirect: Direct access to information and control via WIFI close to the station.

VivaPortal: Remote management and control portal in the cloud.

Photovoltaic modules: Monocrystalline 60W power.

Battery pack: Type AGM / Capacity: up to 0.72 kWh.

USB charging : 2 ports 5W and 2,2W.

Wireless charging: Power 10W / Efficiency over 80%.

Cooling system: Air flow : 170 m³/h , temperature trigger: 38°C.

LED Lighting: backlight panel and neutral white dimmable LED lighting.

Custom made module according to customer's needs.

A team of experts is always ready to create the proper system integration for different necessities.

Optionals:

art. 311380 Module for installation without anchoring.

art. 311381 CO₂ pollution sensor.

art. 311382 Vandal-proof presence sensor.

art. 311383 GPS position sensor.

art. 311384 Dimmable RGBW LED light with selectable system scenarios.

art. 311385 Custom print on the smart module.

art. 311386 RAL color painting on request.

art. 311387 Epaper version with 32 brightness and energy saving monitor that allows to make the totem independent from the electricity network, including power supply system with 100W photovoltaic panel and additional batteries with capacity up to 100Ah.

Colour	Nero
Accessories	Totem, USB , LED , IOT
Material	Acciaio Strongplast
Assembly	Tassell.
Installed	Si
Length	2,1 mt
Alimentazione	Fotovoltaico e Rete
Internet HOTSPOT	SI
Altezza schienale	80 cm